CANADIAN JOURNAL OF CIVIL ENGINEERING/REVUE CANADIENNE DE GÉNIE CIVIL

VOLUME 11, 1975

AUTHOR INDEX/RÉPERTOIRE DES AUTEURS

Adams, P. F. See Suko, M.

Adams, P. F. See Nixon, D.

Allen, D. E. Limit states design-A probabilistic study, 36.

Anderson, D. L., Charlwood, R. G., and Chapman, C. B. On seismic risk analysis of nuclear plants safety systems, 558.

Ashton, G. D. See Calkins, D. J.

Barrett, J. D., Foschi, R. O., and Fox, S. P. Perpendicular-to-grain strength of Douglas-fir, 50.

Beaulieu, D. See Nixon, D.

Bérard, J., Roux, R., and Durand, M. Performance of concrete containing a variety of black shale, 58.

Bérard, J., Roux, R., and Durand, M. Performance of concrete containing a variety of black shale: Reply, 621.

Bertero, V. V., and Kamil, H. Nonlinear seismic design of multistory frames, 494.

Berwanger, C., and Symko, Y. Thermal stresses in steel-concrete composite bridges, 66.

Calkins, D. J., and Ashton, G. D. Arching of fragmented ice covers, 392.

Campbell, T. I., Francis, L. N., and Richardson, B. S. A long curved post-tensioned concrete bridge without expansion joints, 262.

Chapman, C. B. See Anderson, D. L.

Charlwood, R. G. See Anderson, D. L.

Csagoly, P. See Long, A. E.

Danys, J. V. Effect of ice and wave forces on the design of Canadian offshore lighthouses, 138.

Davies, D. J. See Malloy, R. B.

Dawson, I. N. See Hutchinson, B. G.

Droste, R. L., and Hartt, J. P. Quality and variation of pollutant loads in urban stormwater runoff, 418.

Durand, M. See Bérard, J.

Fagnou, A. Y., and Nassar, K. W. Structural behavior of buried plastic pipe: Reply, 243.

Foschi, R. O. See Barrett, J. D.

Fox, S. P. See Barrett, J. D.

Francis, L. N. See Campbell, T. I.

Frye, M. J., and Morris, G. A. Analysis of flexibly connected steel frames, 280.

Gamble, D. J., and Lukomskyj, P. Utilidors in the Canadian North. 162.

Ghosh, R. S., and Mustard, J. N. Insulated forms and thermal shock in winter concreting, 454.

Gilmor, M. I. Choice of prismatic crane column selections by computer, 368.

Grattan-Bellew, P. E. See Sereda, P. J.

Gray, D. M. See Male, D. H.

Hanna, S. N. See Hawkins, N. M.

Hartt, J. P. See Droste, R. L.

Hawkins, N. M., Mitchell, D., and Hanna, S. N. The effects of shear reinforcement on the reversed cyclic loading behaviour of flat plate structures, 572.

Haynes, F. D. See Zabilansky, L. J.

Heidebrecht, A. C. See Rutenberg, A.

Heidebrecht, A. C. See Pollner, E.

Heidebrecht, A. C. See Tso, W. K.

Heidebrecht, A. C. Dynamic evaluation of overturning moment reduction factor used in static seismic loading, 447.

Humar, J. L., and Wright, E. W. Shear and overturning moment for earthquake-resistant building design, 22.

Hutchinson, B. G. Tools for urban land use—Transport strategy planning, 85.

Hutchinson, B. G., O'Brien, W. B., and Dawson, I. N. A national commodity flow model. 292.

Ireland, J. A. See Shortreed, J. H.

Isaacs, R. M., Maitland, S. T., and Mirza, A. M. Foundation design problems of some bridges near Welland, Ontario, 193.

Jamieson, W. W. See Mogridge, G. R.

Jordaan, I. J. See Mee, A. L.

Kamil, H. See Bertero, V. V.

Kamphuis, J. W. Performance of light coastal structures under normal and high water conditions, 381.

Kennedy, D. J. L. Limit states design—An innovation in design standards for steel structures: Reply,

Knowles, W. L. C., and Lumsden, T. W. General aspects of water supply and treatment in Ontario, 154.

Knoll, F. Structural design concepts for the Canadian National tower, 123.

Lash, S. D. Limit states design—An innovation in design standards for steel structures: Discussion, 120.

Le Moal, G. A. See Sargious, M. A.

Long, A. E., Van Dalen, K., and Csagoly, P. The fatigue behavior of negative moment regions of continuous composite beams at low temperatures, 98.

Lukomskyj, P. See, Gamble, D. J.

Lumsden, T. W. See Knowles, W. L. C.

MacKenzie, J. R. See Nathan, N. D.

Madsen, B. Strength values for wood and limit states design, 270.

Madsen, B. Moisture content - strength relationship for lumber subjected to bending, 466.

Maitland, S. T. See Isaacs, R. M.

Male, D. H., and Gray, D. M. Problems in developing a physically based snowmelt model, 474.

Malloy, R. B., and Davies, D. J. The design and construction of Burton bridge, 209.

Manniche, K., and Ward-Hall, G. Mission bridge—Design and construction of the steel box girder, 169.

Mee, A. L., and Jordaan, I. J. Simplified analysis of staggered wall-beam frames, 305.

Mirza, A. M. See Isaacs, R. M.

Mitchell, D. See Hawkins, N. M.

Mogridge, G. R., and Jamieson, W. W. Wave forces on a circular caisson: Theory and experiment, 540.

Morrall, J. F. See Sargious, M. A.

Morris, G. A. See Frye, M. J.

Murray, D. G. See Smith, C. D.

Mustard, J. N. See Ghosh, R. S.

Nassar, K. W. See Fagnou, A. Y. Nasser, K. W. See Rokosh, T. D.

Nathan, N. D., and MacKenzie, J. R. Rotational components of earthquake motion, 430.

Neu, H. J. A. Runoff regulation for hydro power and its effect on the ocean environment, 583.

Nevel, D. E. See Zabilansky, L. J.

Neville, A. M. Is high-alumina cement a satisfactory structural material? 373.

Nixon, D., Beaulieu, D., and Adams, P. F. Simplified second order frame analysis. 602.

O'Brien, W. B. See Hutchinson, B. G.

Panagiotakopoulos, D. An optimization model for balancing economic-environmental systems, 1.

Paulay, T. Design aspects of shear walls for seismic areas, 321.

Paulay, T., and Uzumeri, S. M. A critical review of the seismic design provisions for ductile shear walls of the Canadian code and commentary, 592.

Peterson, A. W. Universal flow diagrams for mobile boundary channels, 549.

Pollner, E., Tso, W. K., and Heidebrecht, A. C. Analysis of shear walls in large-panel construction, 357.

Rainer, J. H. Simplified analysis of dynamic structure-ground interaction, 345.

Rice, F. G. Structural behavior of buried plastic pipe: Discussion, 241.

Richardson, B. S. See Campbell, T. 1.

Rokosh, T. D., and Nasser, K. W. Influence of testing variables on the concrete compressive strength, 606.

Ross, G. A. See Sargious, M. A.

Roux, R. See Bérard, J.

Rutenberg, A. See Tso, W. K.

Rutenberg, A., and Heidebrecht, A. C. Approximations for natural frequencies of interconnected walls and frames, 116.

Sargious, M. A., and Morrall, J. F. Simplified traffic forecasting process for small cities, 314.

Sargious, M. A., Ross, G. A., and Le Moal, G. A. Curling deformations and stresses of insulated rigid pavements, 245.

Sereda, P. J., and Grattan-Bellew, P. E. Performance of concrete containing a variety of black shale: Discussion, 620.

Sérodes, J. B., and Soucy, A. Etude de la coagulation des eaux par fluorométrie, 253.

Shortreed, J. H., and Ireland, J. A. Feeder bus service for commuter rail, 530.

Smith, C. D. Hydraulic investigation of a unique proposal for the Carrot River bridge crossing, 10.

Smith, C. D., and Murray, D. G. Cobble lined drop structures, 437.

Soucy, A. See Sérodes, J. B.

Suko, M., and Adams, P. F. Empirical equation for the fundamental natural period, 611.

Symko, Y. See Berwanger, C.

Taylor, D. A. Progressive collapse, 517.

Tso, W. K. See Pollner, E.

Tso, W. K., Rutenberg, A., and Heidebrecht, A. C. Cyclic loading of externally reinforced masonry walls confined by frames, 489.

Uzumeri, S. M. See Paulay, T.

Van Dalen, K. See Long, A. E.

Ward-Hall, G. See Manniche, K.

Wright, E. W. See Humar, J. L.

Zabilansky, L. J., Nevel, D. E., and Haynes, F. D. Ice forces on model structures, 400.





Canadian Journal of Revue canadienne Civil Engineering de génie civil

Volume 2 • 1975

Editor / Directeur scientifique
A. G. DAVENPORT

Published by the National Research Council of Canada Publiée par le Conseil national de recherches du Canada



CONTENTS / SOMMAIRE

MARCH/MARS

ARTICLES:	
Demetrios Panagiotakopoulos An optimization model for balancing economic-environmental systems	1
Cliff D. Smith Hydraulic investigation of a unique proposal for the Carrot River bridge crossing	10
J. L. Humar and E. W. Wright Shear and overturning moment for earthquake-resistant building	
design	22
D. E. Allen Limit states design—A probabilistic study	36
J. D. Barrett, R. O. Foschi, and S. P. Fox Perpendicular-to-grain strength of Douglas-fir Jean Bérard, Richard Roux, and Marc Durand Performance of concrete containing a variety of black shale	50
Carl Brewanger and Yaroslav Symko Thermal stresses in steel-concrete composite bridges	66
B. G. Hutchinson Tools for urban land use—Transport strategy planning	85
A. E. Long, K. Van Dalen, and P. Csagoly The fatigue behavior of negative moment regions of continuous composite beams at low temperatures	98
NOTE:	
A. Rutenberg and A. C. Heidebrecht Approximations for natural frequencies of interconnected	
walls and frames	116
DISCUSSIONS:	
S. D. Lash Limit states design—An innovation in design standards for steel structures: Discussion	120
D. J. Laurie Kennedy Limit states design—An innovation in design standards for steel struc-	120
tures: Reply	121
JUNE/JUIN	
ARTICLES:	
Franz Knoll Structural design concepts for the Canadian National tower, Toronto, Canada	123
J. V. Danys Effect of ice and wave forces on the design of Canadian offshore lighthouses T. W. Lumsden and W. L. C. Knowles General aspects of water supply and treatment in Ontario	138 154
D. J. Gamble and P. Lukomskyj Utilidors in the Canadian North	162
Knud Manniche and Gordon Ward-Hall Mission bridge—Design and construction of the steel	
box girder	169
R. M. Isaacs, S. T. Maitland, and A. M. Mirza Foundation design problems of some bridges near Welland, Ontario	193
R. B. Malloy and D. J. Davies The design and construction of Burton bridge	209
DISCUSSIONS:	241
F. G. Rice Structural behavior of buried plastic pipe: Discussion A. Y. Fagnou and Karim W. Nassar Structural behavior of buried plastic pipe: Reply	241
A. I. Pagnou and Karini W. Nassai Structural behavior of buried plastic pipe. Reply	245
SEPTEMBER/SEPTEMBRE	
ARTICLES:	
Michel A. Sargious, Grant A. Ross, and Gerald A. LeMoal Curling deformations and stresses of insulated rigid pavements	245
Jean-B. Sérodes et Alain Soucy Etude de la coagulation des eaux par fluorométrie	253
T. I. Campbell, L. N. Francis, and B. S. Richardson A long curved post-tensioned concrete	
bridge without expansion joints	262
Borg Madsen Strength values for wood and limit states design M. John Frye and Glenn A. Morris Analysis of flexibly connected steel frames	270 280
B. G. Hutchinson, W. B. O'Brien, and I. N. Dawson A national commodity flow model	292

A. L. Mee and I. J. Jordaan Simplified analysis of staggered wall-beam frames	305
Michel A. Sargious and John F. Morrall Simplified traffic forecasting process for small cities	314
Thomas Paulay Design aspects of shear walls for seismic areas	321
J. H. Rainer Simplified analysis of dynamic structure-ground interaction	345
Eugenio Poliner, W. K. Tso, and A. C. Heidebrecht Analysis of shear walls in large-panel construction	357
NOTE:	
M. I. Gilmor Choice of prismatic crane column selections by computer	368
DECEMBER/DECEMBRE	
A DODLOG FOR	
A. M. Neville Is high-alumina cement a satisfactory structural material?	373
J. W. Kamphuis Performance of light coastal structures under normal and high water conditions	381
Darryl J. Calkins and George D. Ashton Arching of fragmented ice covers	392
L. J. Zabilansky, D. E. Nevel, and F. D. Haynes Ice forces on model structures	400
Ronald L. Droste and James P. Hartt Quality and variation of pollutant loads in urban storm- water runoff	418
N. D. Nathan and J. R. MacKenzie Rotational components of earthquake motion	430
C. D. Smith and D. G. Murray Cobble lined drop structures	437
A. C. Heidebrecht Dynamic evaluation of overturning moment reduction factor used in static	137
seismic loading	447
Ram S. Ghosh and J. Neil Mustard Insulated forms and thermal shock in winter concreting	454
Borg Madsen Moisture content-strength relationship for lumber subjected to bending	466
D. H. Male and Don M. Gray Problems in developing a physically based snowmelt model W. K. Tso, A. Rutenberg, and A. C. Heidebrecht Cyclic loading of externally reinforced	474
masonry walls confined by frames	489
V. V. Bertero and H. Kamil Nonlinear seismic design of multistory frames	494
D. A. Taylor Progressive collapse	517
John H. Shortreed and John A. Ireland Feeder bus service for commuter rail	530
G. R. Mogridge and W. W. Jamieson Wave forces on a circular caisson: theory and experiment	540
A. W. Peterson Universal flow diagrams for mobile boundary channels	549
D. L. Anderson, R. G. Charlwood, and C. B. Chapman On seismic risk analysis of nuclear plants	ee0
safety systems Neil M. Hawkins, Denis Mitchell, and Samir N. Hanna The effects of shear reinforcement on the	558
reversed cyclic loading behavior of flat plate structures	572
H. J. A. Neu Runoff regulation for hydropower and its effect on the ocean environment	583
T. Paulay and S. M. Uzumeri A critical review of the seismic design provisions for ductile shear	505
walls of the Canadian code and commentary	592
NOTES;	
Don Nixon, Denis Beaulieu, and Peter F. Adams Simplified second order frame analysis	602
T. Dale Rokosh and K. W. Nasser Influence of testing variables on the concrete compressive strength	606
Masaaki Suko and Peter F. Adams Empirical equation for the fundamental natural period	611
DISCUSSIONS:	
P. J. Sereda and P. E. Grattan-Bellew Performance of concrete containing a variety of black	
shale: Discussion	620
J. Bérard, R. Roux, and M. Durand Performance of concrete containing a variety of black shale:	
Reply	621
Author Index	623
Contents of Volume 2	iii

